UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/813,165	03/31/2004	Denis Babin	MMID 2942	4469
54334 MOLD-MAST	7590 10/17/200 ERS LIMITED	EXAMINER		
233 ARMSTRONG AVENUE			BODAWALA, DIMPLE N	
	AL PROPERTY DEPARTMENT 'N, ON L7G-4X5		ART UNIT	PAPER NUMBER
CANADA	,		1791	
			MAIL DATE	DELIVERY MODE
			10/17/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/813,165	BABIN, DENIS
Office Action Summary	Examiner	Art Unit
	Dimple N. Bodawala	1791
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	e correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION  36(a). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDO	ON. timely filed om the mailing date of this communication. NED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 10 Au     This action is <b>FINAL</b> . 2b) ☑ This     Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, p	
Disposition of Claims		
4)  Claim(s) 1-12 and 17-19 is/are pending in the a 4a) Of the above claim(s) is/are withdray 5)  Claim(s) is/are allowed. 6)  Claim(s) is/are rejected. 7)  Claim(s) 1-12 and 17-19 is/are objected to. 8)  Claim(s) are subject to restriction and/or	vn from consideration.	
Application Papers	•	
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Sign is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign  a) All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the prior  application from the International Bureau  * See the attached detailed Office action for a list	s have been received. s have been received in Applic rity documents have been rece u (PCT Rule 17.2(a)).	ation No ived in this National Stage
Attachmont/s		
Attachment(s)  1)   Notice of References Cited (PTO-892)  2)   Notice of Draftsperson's Patent Drawing Review (PTO-948)  3)   Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date   8/10/2007.	4) Interview Summi Paper No(s)/Mai 5) Notice of Informa 6) Other:	

Art Unit: 1791

#### DETAILED ACTION

## Response to Amendment

Claims 1-12 and 17-19 are pending.

Claims 13-16 are cancelled.

In view of amendment filed on August 10, 2007 following rejections are withdrawn as of reason of record from the previous office action, mailed on May 11, 2007.

- Rejection of claims 1,3,7,9,11-12 and 17-19 under 35 U S C
   102(b) as being anticipated by Dewar et al. (U S Patent No. 6,348,171).
- Rejection of claims 1-3 and 5-12 under 35 U S C 102(e) as being anticipated by Olaru et al. (U S Patent No. 7,182,893).
- Rejection of claims 4 and 17-19 under 35 U S C 103(a) as
   being unpatentable over Olaru et al. (U S Patent No. 7,182,893) in view of Dray, Sr. (U S Patent No. 6,413,076).

# Response to Arguments

1. Applicant's arguments with respect to claims 1 and 17 have been considered but are most in view of the new ground(s) of rejection.

Art Unit: 1791

Page 3

### Claim Rejections - 35 USC § 103

- 2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 3. Claims 1-3, 5-12 and 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Olaru (U S Patent No. 7,182,893) in view of Taylor (U S Patent No. 4,394,117).
- 4. Olaru ('893) discloses the injection molding apparatus which comprises the injection molding machine (10) including a machine nozzle for injecting a melt stream (See coi.2 lines 32-34), and a machine platen (figures 1 and 2); a manifold (12) having a melt inlet (18) and a melt channel (22) for distributing the melt stream (See coi.2 lines 31-40); and an anti-drool mechanism disposed within the machine platen (See figure i) which comprises a melt passage (30), a valve pin (11) disposed within the melt passage (30) and sized so that the melt stream flows around the pin (See col.1 lines 45-47; and coi.3 lines 58-61), pin (11) having the head portion (55) configured to be received within the machine nozzle (See figure 1); and an actuated shut-off collar (38) disposed at least partially within the melt passages (30) and surrounding the pin (11), the shut off collar (38) and the head portion (55) of the pin (11)

Art Unit: 1791

configured to control the flow of the melt stream through the melt passage (30) (See coi.3 lines 1-15).

Page 4

- 5. It further teaches that the shut off collar (38) is spring loaded (See figure 1), where in the shut off collar (38) is mechanically actuated when the pinhead portion (55) is received within the machine nozzle (See figure I, coi.3) lines 35-43). It further teaches that the shut off collar (38) is actuated using anyone of a hydraulic, electromechanical and mechanical apparatus (See coi.4) lines 25-27; coi.5 lines 66-67; and coi.6 lines 42-46). It further teaches that the injection molding apparatus (i0) comprises the machine nozzle, which is not shown in the figure but discloses by the specification, thus inherently it also teaches about the locating ring configured to allow the machine nozzle to pass there through and to guide the movement of the shut-off collar (38) as recited in claim 6. Figure 7 teaches that the melt passage (30) is divided into multiple melt passages (301, and 302) to the manifold (12) melt inlet (18). It further teaches that the machine nozzle injects the melt stream into a cold runner system (37) (See coi.2 lines 52-57).
- 6. Olaru ('893) discloses all the claimed structural limitations as discussed above, but fails to teach or suggest a valve pin is fixed pin and the shut-off collar and the sprue busing.

Art Unit: 1791

- 7. in the analogous art, Taylor discloses an injection molding machine which comprises anti-drool mechanism to prevent the flow of the molten material into the cavity (See col.3 lines 61-63) by having a fixed pin disposed within the met passage and sized so that the melt stream flow around the pin, the pin having a head portion configured to be received within the machine nozzle (See figure 2). It further comprises a moveable shut off collar disposed within the passage and surrounding the pin, the collar and head portion configured to control the flow of the stream through the melt passage (See col.6 lines 15-27). It further comprises a sprue bushing (54) disposed between the nozzle and manifold, wherein the sprue bushing having a melt passage that is in fluid communication with the inlet (See figure 2, abstract).
- 8. It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to modify the invention of Olaru by providing the collar and pin because such an alignment is involved to control the flow of the melt stream through the passage as suggested by Taylor.
- 9. It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to modify the invention of Olaru by providing the sprue bushing because such an alignment is involved to provide heated flow path for passage of molten material toward a stationary dispersion head positioned centrally within the cavity (See abstract) as suggested by Taylor.

Art Unit: 1791

- 10. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Olaru (U S Patent No. 7,182,893) in view of Taylor (U S Patent No. 4,394,117) as applied to claims 1-3, 5-12 and 17-19 above, and further in view of Dray, Sr. (U S Patent No. 6,413,076).
- 11. Olaru ('893) discloses all claimed structural limitations as discussed above, but does not disclose the pneumatic actuator.
- 12. In the analogous art, Dray, Sr. ('076) discloses the injection molding apparatus which comprises the injection units such as nozzle, which mates with a depression formed in a portion of the mold, which is called the sprue bushing (17), wherein the sprue bushing (17) is disposed partially within the machine platen, and having the a melt passage that is in fluid communication with the manifold inlet (See col.1 lines 26-30, 55-60; coi.3 lines 25-63). It further teaches that the shut-off collar is actuated using a pneumatic, mechanical and hydraulic apparatus (actuators) (See coi.2 lines 14-17).
- 13. It would have been obvious to one of ordinary skill in the art at the time of Applicant's invention to modify the invention of Olaru ('893) with the sprue bushing and the pneumatic actuator because pneumatic actuator involves to control the shut-off valve which is used to halt or stop material

Art Unit: 1791

flow from an injection unit into the mold portion of the injection molding apparatus (See col.1 lines 7-10) as suggested by Dray, Sr. ('076).

#### Conclusion

- 14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 15. Gellert et al. (U S Patent No. 6,270,711) discloses an injection-molding machine which comprises a fixed pin (110) and a collar (62) (See figure 2).
- 16. Gellert et al. (U S Patent No. 4,917,594) comprises an injection-molding machine which comprises a fixed pin and collar.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dimple N. Bodawala whose telephone number is (571) 272-6455. The examiner can normally be reached on Monday - Friday at 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Yogendra N. Gupta can be reached on (571) 272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1791

Page 8

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

**DNB** 

SUPERVISORY PATENT EXAMINER